


GP1200 ATV 6-IN-1 SEEDER

6 Implements in One

VARIETY OF ATTACHMENTS




DISC



PLOUGH



SEED



FERTILISE



COVER



ROLLER



SINGLE BOX | DUAL BOX

GP1200 6-IN-1-SEEDER

GP1200 6-in-1 Seeder is a versatile and compact seeder designed to tow behind your ATV. This multifunctional unit is a low till system allowing the soil to be cut open for minimum disturbance during the seeding process. The seeder easily maneuvers around tight areas, close to fences, around trees and under low-hanging branches, and even near dams. Perfect for rotational paddocks, existing pasture, horse paddocks and equestrian arenas (perfect for raking).

The 6-in-1 Seeder best services farmers to seed 10-12 acres per day. It will seed up to 2 acres an hour, designed to cut into the soil at 1/2cm – 3cm depending on soil moisture content or up to 10cm for non-seeding purposes. The radio remote allows you to control the cutting depth and seeder boxes for complete control. Performing any combination with ease, this 6-in-1 build saves you time, money, labor fuel maintenance and storage. Built with precision and quality, the seeder boxes are marine grade stainless steel to hold coated seeds and fertilizer. Designed for overseeding existing pasture with the option of adding a direct drill in the rear box for legumes.



Radio Remote

Controls cutting depth and seeder boxes.

Cuttings discs open the surface

Low tilling the soil.

Compact and manoeuvrable

Versatile and agile to move around trees and up against fence lines.





WHERE THE GRASS
IS GREENER

greenPRO
com.au

**Marine-grade SS
Seeder boxes**

Maximum corrosion
resistance to fertiliser
and coated seeds



**Seeder metering
reverse auger brush
system**

Easily adjustable for a
variety of seeds and
seed blends.



**Application
rate control**



**Increase moisture
retention**

For plant growth by
aerating soil with discs
before rain.



**Drags to cover
the cut soil.**



**Roller ensures
seeds are in
contact with
soil + closes
the cut.**



SINGLE BOX SEEDER

Towed by an ATV, side by side or small tractor, the seeder box and cutting depth is operated with a radio remote. Disc, plough, seed, cover and roll, all in one pass.



SPECIFICATIONS

Weight	375kg
System voltage	12V
Harness fuse size	30A Blade
Tyre pressure	16psi - 22psi (max)
Maximum cutting width	1000mm
Maximum cutting depth	110mm
Maximum seed capacity per seed box	25kg
Discs	12 x 406mm notched discs with sealed bearings
Tow ball hitch	50mm
Dimensions	L=2500mm W=1200mm H=1140mm
Towage Requirement	450cc 4x4

DUAL BOX SEEDER

The dual seeder has the added benefit of an extra seeder box so that you can disc, plough, seed, cover, roll and fertilise simultaneously in a single pass!



SPECIFICATIONS

Weight	405kg
System voltage	12V
Harness fuse size	30A Blade
Tyre pressure	16 - 22psi (max)
Maximum cutting width	1000mm
Maximum cutting depth	110mm
Maximum seed capacity per seed box	25kg
Discs	12 x 406mm notched discs with sealed bearings
Tow ball hitch	50mm
Dimensions	L= 2500mm W=1200mm H=1140mm
Towage Requirement	500cc 4x4

OPTIONAL SEEDER ATTACHMENT



DIRECT
SEED
DRILL