

9TDE

TWIN REEL

SPRAY SYSTEM

**THE QUIK SPRAY
DIFFERENCE:**

- ✓ 30 YEARS EXPERIENCE
- ✓ SAVE TIME & MONEY
- ✓ REDUCE FRUSTRATION
- ✓ IMPROVE SAFETY
- ✓ AUSTRALIAN MADE
- ✓ REMOTE TECHNOLOGY
- ✓ SUPA-SLIP HOSE
- ✓ HEAVY DUTY
- ✓ CUSTOMER CARE

PRODUCT OVERVIEW

The fastest, easiest way to manage weeds, the Quik Spray 9TDE is a compact version of the 9TBE model, maximising space on your vehicle or trailer, by stacking the reels above the pump and motor, allowing for a shorter framework length.

With twin reels for dual operation and remote controlled retractable hose reels, the 9TDE unit is the preferred weed spraying system for councils, farmers and contractors across Australia.

With remote controlled reel retraction, it'll save you time and effort by rewinding the hose for you, with the simple press of button on a hand-held transmitter. The slip-on one-piece framework is built and designed for heavy duty spraying tasks, that not only eliminates weeds, but helps you work faster and boost your productivity.



FEATURES

MANAGE MORE WEEDS, SAVING TIME & MONEY

Twin reel units enable two operators to work independently of each other, as each reel has its own radio frequency. This increases productivity where large amounts of area need to be covered in the shortest amount of time. With a hand-held nozzle, the spray is targeted on only selected vegetation, reducing chemical usage which saves you money on costly chemicals.

DURABLE, ROBUST CONSTRUCTION

The workhorse of the range and renowned for our tough hose rewind action, Quik Spray's reel retraction is strong enough to assist you up steep, hilly terrain if required. Each reel accommodates up to 200m of hose, which is ideal for isolated, difficult-to-reach locations.

PROUDLY AUSTRALIAN MADE

Designed, fabricated and assembled in Australia, our mechanically-driven reels will never burn out your motor, unlike conventional 12-volt spray systems.

CUSTOMISABLE TO THE WAY YOU SPRAY

Each Quik Spray is made-to-order, to fit your needs. Choose from 200L to 2000L tank sizes, upgraded pump and motor options including diesel motors, boomless jets, lifting bars and firefighting capabilities. Easily mounted to a ute or trailer.



SPECIFICATIONS

9TDE

	9TDE
ENGINE	RELIABLE 9HP HONDA OHV MOTOR, ELECTRIC KEY START WITH 10 AMP CHARGE COIL (ALSO AVAILABLE WITH DIESEL MOTOR)
PUMP	BERTOLINI PA530 OR PA730 PUMP (54 & 74L/MIN 580 PSI MAX)
CONTROLLER	4 OUTLET PRESSURE CONTROLLER IN BAR & PSI
HOSE	UP TO 200M 'SUPA-SLIP' NYLON HOSE FITTED, 10MM ID 1000PSI BP
REEL	TWIN REELS WITH INDEPENDENT RADIO CONTROLLED RETRACTION.
BATTERY	12V BATTERY CHARGED BY HONDA MOTOR
TANK SIZE	200L TO 2000L
FRAMEWORK	HARD POWDER COATED FRAMEWORK WITH SLIP-ON CAPABILITY AND BOLT DOWN PLATES

DIMENSIONS

9TDE

	400L SQUAT TANK	400L ROUND TANK	600L SQUAT TANK	600L ROUND TANK	800L TANK	1000L TANK
LENGTH (MM)	2080	1900	2080	1900	2260	2260
WIDTH (MM)	1235	1220	1235	1275	1400	1400
BASE LENGTH (MM)	1870	1740	1870	1740	2040	2040
BASE WIDTH (MM)	1180	1180	1180	1180	1180	1180
HEIGHT (MM)	1000	1000	1000	1000	1000	1000
DRY WEIGHT (KG)	238	238	248	278	258	270

