


# 9TBE / 10TBE TWIN REEL SPRAY SYSTEM

## THE QUIK SPRAY DIFFERENCE:

- ✓ 30 YEARS EXPERIENCE
- ✓ SAVE TIME & MONEY
- ✓ REDUCE FRUSTRATION
- ✓ IMPROVE SAFETY
- ✓ AUSTRALIAN MADE
- ✓ REMOTE TECHNOLOGY
- ✓ SUPA-SLIP HOSE
- ✓ HEAVY DUTY
- ✓ CUSTOMER CARE



## PRODUCT OVERVIEW

The fastest, easiest way to manage weeds, the Quik Spray 9TBE will cut your spray time by 50%.

With twin reels for dual operation and remote controlled retractable hose reels, the 9TBE unit is the preferred weed spraying system for councils, farmers and contractors across Australia.

With remote controlled reel retraction, it'll save you time and effort by rewinding the hose for you, with the simple press of button on a hand-held transmitter.

The slip-on one-piece framework is built and designed for heavy duty spraying tasks, that not only eliminates weeds, but helps you work faster and boost your productivity.




## FEATURES

### MANAGE MORE WEEDS, SAVING TIME & MONEY

Twin reel units enable two operators to work independently of each other, as each reel has its own radio frequency. This increases productivity where large amounts of area need to be covered in the shortest amount of time. With a hand-held nozzle, the spray is targeted on only selected vegetation, reducing chemical usage which saves you money on costs of chemicals.

### DURABLE, ROBUST CONSTRUCTION

The workhorse of the range and renowned for our tough hose rewind action, Quik Spray's reel retraction is strong enough to assist you up steep, hilly terrain if required. Each reel accommodates up to 200m of hose, which is ideal for isolated, difficult-to-reach locations.



### PROUDLY AUSTRALIAN MADE

Designed, fabricated and assembled in Australia, our mechanically-driven reels will never burn out your motor, unlike conventional 12-volt spray systems.

### CUSTOMISABLE TO THE WAY YOU SPRAY

Each Quik Spray is made-to-order, to fit your needs. Choose from 200L to 2000L tank sizes, upgraded pump and motor options including diesel motors, boomless jets, lifting bars and firefighting capabilities. Easily mounted to a ute or trailer.

## SPECIFICATIONS

# 9TBE / 10TBE

	9TBE	10TBE
ENGINE	RELIABLE 9HP HONDA OHV MOTOR, ELECTRIC KEY START WITH 10 AMP CHARGE COIL	10HP KOHLER DIESEL OHV MOTOR, ELECTRIC KEY START WITH 10 AMP CHARGE COIL
PUMP	BERTOLINI PA530 TRIPLE DIAPHRAGM PUMP (54L/MIN 580 PSI MAX)	BERTOLINI PA530 TRIPLE DIAPHRAGM PUMP (54L/MIN 580 PSI MAX)
CONTROLLER	4 OUTLET PRESSURE CONTROLLER WITH GAUGE	
HOSE	UP TO 200M 'SUPA-SLIP' NYLON HOSE FITTED, 10MM ID 1000PSI BP (100 METRES PER HOSE REEL)	
BATTERY	12V BATTERY CHARGED BY HONDA MOTOR	
TANK SIZE	200L TO 2000L	200L TO 2000L
FRAMEWORK	HARD POWDER COATED OR GALVANISED FRAMEWORK WITH SLIP-ON CAPABILITY AND BOLT DOWN PLATES	
REEL	TWIN REELS WITH INDEPENDENT RADIO CONTROLLED RETRACTION.	

## DIMENSIONS

# 9TBE / 10TBE

	400L SQUAT TANK	400L ROUND TANK	600L SQUAT TANK	600L ROUND TANK	800L TANK	1000L TANK
LENGTH (MM)	2150	2010	2150	2010	2330	2330
WIDTH (MM)	1310	1255	1310	1335	1400	1400
BASE LENGTH (MM)	2070	1810	2070	1810	2150	2150
BASE WIDTH (MM)	1180	1180	1180	1180	1180	1180
HEIGHT (MM)	740	960	890	960	830	830
DRY WEIGHT (KG)	238	238	248	248	258	258

